

Synliggør dit budskab ved PoS



den rigtige løsning til ethvert behov



VKF Renzel

VKF Renzel Danmark ApS • H.P. Christensens Vej 1 • DK 3000 Helsingør
Tlf. nr.: +45 49 21 08 00 • www.vkf-renzel.dk • info@vkf-renzel.dk

1

2

3

4

5

6

7

8

9



VKF RENZEL DANMARK APS

H.P. Christensens Vej 1
3000 Helsingør
Danmark



+45 49 21 08 00



info@vkf-renzel.dk



www.vkf-renzel.dk


INDHOLDSFORTEGNELSE



1 Brochureholder til hylder 3-8



2 Plakatlommer af plast 9-14




3 Frontplader til klikrammer 15-18



4 Borddisplay 19-28



5 Hyldedeler med tape 29-30



6 Termoformede produkter 31-32



7 Prismærkelommer 33-46





8 Prislommer 47-54



9 Hyldemarkør 55-62

Leaflet Dispensers for Shelving





Hanging Leaflet Dispenser

- for hanging on shelves and baskets
- different profile sections possible

Material: rigid film;
 Material thickness: 0.5 mm;
 Colour: crystal clear;
 Fixing: Display profile "SHK 16" white

Width (inside): 80 mm;
 Height (inside): 60 mm;
 Depth (inside): 25 mm


26.0014.4

Width (inside): 110 mm;
 Height (inside): 105 mm;
 Depth (inside): 30mm

26.0014.2

Special sizes and promotional printing available on request!

Current prices can be found on our website.



Hanging Leaflet Dispenser

- for mounting on shelf fronts

Material: rigid film; Material thickness: 0.5 mm;
 Colour: crystal clear; Width (inside): 110 mm;
 Height (inside): 105 mm; Depth (inside): 30mm

Application: for clipping on to 6-10 mm thick glass shelves

26.0109.1

Application: for clipping on to 10-25 mm thick shelves

26.0109.2



Hanging Leaflet Dispenser

- for mounting on shelves

Material: rigid film; Material thickness: 0.5 mm;
 Colour: crystal clear; Width (inside): 110 mm;
 Height (inside): 105 mm; Depth (inside): 30mm

Application: for clipping on to 6-10 mm thick glass shelves

26.0109.3

Application: for clipping on to 10-25 mm thick shelves

26.0109.4

Other formats can be found at www.vkf-renzel.com



Hanging Leaflet Dispenser

- with notch
- for sticking onto shelves

Material: rigid film; Material thickness: 0.5 mm;
 Colour: crystal clear; Adhesive: standard tape 1x 25 mm

Depth (Inner size): 30 mm

Width (inside): 125 mm; Height (inside): 125 mm

26.0015.16

Width (inside): 180 mm; Height (inside): 150 mm

26.0015.3

Width (inside): 200 mm; Height (inside): 180 mm

26.0015.4

Depth (inner size): 40 mm

Width (inside): 215 mm; Height (inside): 180 mm

26.0015.5

Hanging Leaflet Dispenser

- for sticking on to shelves

Material: rigid film; Material thickness: 0.5 mm;
 Colour: crystal clear; Adhesive: standard tape 1x 25 mm

Depth (Inner size): 20 mm

Width (inside): 110 mm; Height (inside): 170 mm

26.0015.9

Width (inside): 155 mm; Height (inside): 170 mm

26.0015.10

Depth: (Inner size): 25 mm

Width (inside): 80 mm; Height (inside): 125 mm

26.0015.7

Depth (Inner size): 30 mm

Width (inside): 110 mm; Height (inside): 135 mm

26.0015.8

Width (inside): 125 mm; Height (inside): 105 mm

26.0015.6

Current prices can be found on our website.



Hanging Leaflet Dispenser

- with notch
- for sticking onto shelves

Material: rigid film; Material thickness: 0.5 mm;
 Colour: crystal clear; Width (inside): 230 mm;
 Height (inside): 230 mm; Depth (inside): 30mm;
 Adhesive: standard tape 1x 25 mm
26.0015.12

Leaflet Dispenser

- for sticking on to shelves

Material: rigid film; Colour: crystal clear; Orientation: portrait;
 Adhesive: standard tape 1x 25 mm; Version: flat

Depth (Inner size): 25 mm

Material thickness: 0.5 mm; Size: A5

26.0053.3

Material thickness: 0.5 mm; Size: A6

26.0053.4

Material thickness: 0.5 mm; Size: 1/3 A4

26.0053.1

Depth (Inner size): 30 mm

Material thickness: 0.7 mm; Size: A4

26.0053.2

Low shipping costs - delivered flatpacked!

Other formats can be found at www.vkf-renzel.com



Hanging Leaflet Dispenser

- with notch
- for sticking onto shelves

Material: rigid film; Material thickness: 0.5 mm;
 Colour: crystal clear; Width (inside): 110 mm;
 Height (inside): 200 mm; Depth (inside): 20 mm;
 Adhesive: standard tape 1x 25 mm
26.0015.11



Collapsible Leaflet Dispenser

- for sticking on displays

Material: rigid film; Material thickness: 0.5 mm;
 Colour: crystal clear; Adhesive: standard tape 1x 25 mm

Depth (Inner size): 30 mm

Width (inside): 105 mm; Height (inside): 150 mm
26.0066.3

Width (inside): 110 mm; Height (inside): 120 mm
26.0066.2

Depth (Inner size): 32 mm

Width (inside): 96 mm; Height (inside): 115 mm
26.0066.1

Current prices can be found on our website.

Poster Pockets in Plastic



waterproof

with welded bar




folded



10 Plastic Poster Pockets

2



Poster Pocket with Punched Holes

Material: rigid film; Material thickness: 0.4 mm;
Colour: anti-reflective; Orientation: portrait;
Diameter: 6 mm; Number of holes: 2

Insert size: A3

26.0006.3

Insert size: A4

26.0006.5

Insert size: A5

26.0006.21

Poster Pocket with Metal Eyelets

Material: rigid film; Material thickness: 0.4 mm;
Colour: anti-reflective; Orientation: portrait;
Diameter: 4 mm; Number of metal eyelets: 2

Insert size: A3

26.0029.9

Insert size: A4

26.0029.4

Insert size: A5

26.0029.16

We use UV stabilised film.

Hanging attachments can be found in our online shop.

Promotional printing and custom sizes on request!

1. Poster pocket with holes

2. Poster pocket with metal eyelets

Other insert sizes can be found in our online shop at www.vkf-renzel.com

Current prices can be found on our website.



Waterproof Poster Pocket

- completely closed at the bottom with the help of a grip closure
- moisture stays outside and the paper dry
- can be used again and again
- simply pull it open, insert the paper and snap it back into place

Colour: transparent; Orientation: portrait; Number of holes: 2

Insert size: A3

26.0007.7

Insert size: A4

26.0007.9

Insert size: A5

26.0007.11

Adhesive Showcard C-Pocket

Material: rigid film; Material thickness: 0.4 mm;
 Colour: anti-reflective; Orientation: portrait;
 Adhesive: clear adhesive 2x 19 mm

Insert size: A3

26.0039.8

Insert size: A4

26.0039.9

Insert size: A5

26.0039.12

**We use UV-stabilised sheets.
 Promotional printing and custom sizes on request!**

Hanging attachments can be found in our online shop.

Other formats can be found at www.vkf-renzel.com



*Adhesion
without glue!*



Info Pocket

- adhesive free application behind and in front of glass
- simple to affix via microsuction film
- residue free removal
- reusable
- can be made in bespoke sizes
- can be printed subject to a price supplement

Orientation: portrait / landscape

Insert size: A1

26.0746.5

Insert size: A2

26.0746.6

Insert size: A3

26.0746.1

Insert size: A4

26.0746.4

Insert size: A5

26.0746.2

Insert size: A6

26.0746.7

Insert size: A7

26.0746.8

Current prices can be found on our website.



Price Tag Holder, magnetic

- anti-reflective

Material: rigid film; Material thickness: 0.4 mm; Lip: 25 mm

portrait format

Insert size: A4; Magnet: magnetic tape 2x 12mm

26.0040.38

Insert size: A5; Magnet: magnetic tape 2x 12mm

26.0040.11

Insert size: A6; Magnet: magnetic tape 2x 10 mm

26.0040.7

landscape format

Insert size: A4; Magnet: magnetic tape 2x 12mm

26.0040.6

Insert size: A5; Magnet: magnetic tape 2x 12mm

26.0040.315

Other formats can be found at www.vkf-renzel.com

14 Plastic Poster Pockets

2



U-Pocket

- for poster frames

Material: rigid film;

Material thickness: 0.4 mm;

Colour: anti-reflective; Orientation: portrait

For showcard frames: A3

26.0035.3

For showcard frames: A4

26.0035.8

For showcard frames: A5

26.0035.5

U-pockets are also available in 0.2 mm non-reflective rigid material.

U-pockets allow safe and easy handling of quickly changing advertising posters and special offers.

The posters are protected from dust in the U-pocket and can therefore be reused many times.

We use UV-stabilised material.

Further insert sizes as well as corresponding poster frames can be found in our online shop at www.vkf-renzel.com

NEW



Poster Pocket welded

Material: rigid film;

Material thickness: 0.4 mm;

Colour: anti-reflective;

Number of metal eyelets: 2;

Version: welding seam between the two inserts

Insert size: A3 portrait / A4 landscape (top / bottom)

26.0585.22

Insert size: A4 (2x); Orientation: portrait

26.0585.23

Insert size: A4 (2x); Orientation: landscape

26.0585.24

Insert size: A4 portrait / A5 landscape (top / bottom)

26.0585.25

1. with metal eyelets


2. with welded bar between the insert sections

Current prices can be found on our website.

Cover Sheets

for Snap Frames

↪ outdoor




↪ indoor



16 Cover Sheets for Snap Frames

3



Cover Sheets

- for click frames, poster stands, WindSign "Economy II" and covers
- UV-stabilised
- not suitable for waterproof click frames and poster stands

Material: rigid film; Colour: anti-reflective

Material thickness: 0.7 mm; For insert size: A0

26.0001.1

Material thickness: 0.7 mm; For insert size: A1

26.0001.2

Material thickness: 0.4 mm; For insert size: A2

26.0001.3

Material thickness: 0.4 mm; For insert size: A3

26.0001.4

Material thickness: 0.4 mm; For insert size: A4

26.0001.5

Material thickness: 0.7 mm; For insert size: 700 x 500 mm

26.0001.6

Material thickness: 0.7 mm; For insert size: 1000 x 700 mm

26.0001.7

Cover Sheet for Poster Stand "Eco 35" WindSign "Economy II RA" and Click Frame "Eco 35"

Suitable for 50.0155.3, 50.0151.6, 50.0151.9 and 50.0075.6, from model 06/2012; Material thickness: 0.7 mm; Width: 885mm; Height: 1233 mm; For insert size: A0 (841 x 1189 mm)

26.0001.43

Suitable for 50.0155.1, 50.0151.1, 50.0151.7, 50.0075.7 and 50.0075.4, from model 06/2012; Material thickness: 0.7 mm; Width: 638 mm; Height: 885mm; For insert size: A1 (594 x 841 mm)

26.0001.44

Suitable for 50.0155.2, 50.0151.2, 50.0151.10, from model 06/2012; Material thickness: 0.4 mm; Width: 464 mm; Height: 638 mm; For insert size: A2 (420 x 594 mm)

26.0001.45

Suitable for 50.0155.4, 50.0151.3, 50.0151.11, from model 06/2012; Material thickness: 0.4 mm; Width: 341 mm; Height: 464 mm; For insert size: A3 (297 x 420 mm)

26.0001.46

Suitable for 50.0155.6, 50.0151.5, 50.0151.13, 50.0075.8 and 50.0075.5, from model 06/2012;

Material thickness: 0.7 mm; Width: 744mm; Height: 1044 mm; For insert size: 1000 x 700 mm

26.0001.48

Cover Sheet for WindSign "Seal"

Material: PET; Material thickness: 1 mm; Colour: anti-reflective; Number of holes: 2

Suitable for 50.0298.2, 50.0298.9 and 50.0298.5; Width: 625 mm; Height: 889 mm; For insert size: A1

26.0246.158

Suitable for 50.0298.3 and 50.0298.6; Width: 731 mm; Height: 1048 mm; For insert size: 700 x 1000 mm

26.0246.160

Suitable for 50.0298.1 and 50.0298.4; Width: 872 mm; Height: 1237mm; For insert size: A0

26.0246.159

Current prices can be found on our website.



Other formats can be found at www.vkf-renzel.com

18 Cover Sheets for Snap Frames

3



Cover Sheet for Waterproof Pavement Sign, 32 mm Profile, with Mitred Corners

Material thickness: 0.5 mm; Colour: anti-reflective;
Orientation: portrait / landscape;
Model: with rubber sealant surround

Material: PET; Width (outer): 859 mm; Height (outer): 1207 mm;
For insert size: A0 (841 x 1189 mm)
26.0100.11

for use with 50.0055.6

Material: PET; Width (outer): 612 mm; Height (outer): 859 mm;
For insert size: A1 (594 x 841 mm)
26.0100.10

for use with 50.0055.7


Material: rigid film; Width (outer): 438 mm; Height (outer): 612 mm;
For insert size: A2 (420 x 594 mm)
26.0100.4

Corresponding snap frames can be found in our online shop.

Current prices can be found on our website.

Tabletop Poster Stands

rewritable



with insert



20 Telescopic Poster Stands with Frames and Pockets

4



L-Display

Material: rigid film; Orientation: landscape; Angle: 75°

anti-reflective 0.4 mm

Insert size: A6

26.0008.1

Insert size: A7

26.0008.2

Insert size: A8

26.0008.3

Insert size: A9

26.0008.4

clear 0.5 mm

Insert size: A6

26.0008.9

Insert size: A7

26.0008.11


Insert size: A8

26.0008.13

Insert size: A9

26.0008.14

Manufactured from UV-stabilised plastic sheeting.



L-Display

- can be used in portrait and landscape format

Material: rigid film;
Material thickness: 0.7 mm;
Colour: anti-reflective;
Version: cut into shape

Insert size: A4

26.0008.16

Insert size: A5

26.0008.17

Current prices can be found on our website.

Menu Card Holder "T-Shape"

Material: rigid film;
Material thickness: 0.9 mm;
Orientation: portrait; Colour: crystal clear

Insert size: A4

26.0056.1

Insert size: A5

26.0056.4

Insert size: A6

26.0056.2

Insert size: 1/3 A4

26.0056.3



4

Display "Ellipse"

Material: rigid film;
Material thickness: 0.5 mm;
Colour: crystal clear; Orientation: portrait

Insert size: A3 (2x)

26.0489.1

Insert size: A4 (2x)

26.0489.2



Other formats can be found at www.vkf-renzel.com

22 Telescopic Poster Stands with Frames and Pockets

4



Menu Card Holder


Material: rigid film;
Material thickness: 1 mm;
Colour: crystal clear; Orientation: portrait

Insert size: A5

26.0086.2

Insert size: A6

26.0086.1



Menu Card Holder

- anti-reflective

Material: rigid film; Material thickness: 0.7 mm

Insert size: A5; Orientation: landscape

26.0087.1

Insert size: A5; Orientation: portrait

26.0087.2

Insert size: A6; Orientation: landscape

26.0087.3

Insert size: A6; Orientation: portrait

26.0087.4

Current prices can be found on our website.



T-Display "Windy"

- offers countless applications for powerful marketing
- the mini display can be used as a table-top stand in hospitality, as a shop display in a retailer, in chemists, beauty outlets, lottery shops and electronics stores.
- prices are calculated for each project depending on the quantity and size of the motif

Advantages:

- rain and windproof
- leaves no residue or damage
- reusable and repositionable
- can be written on
- delivered flat
- recyclable
- colourfast even in direct sunlight

Material: rigid film;
 Material thickness: 0.5 mm;
 Colour: white; Size: customer request;
 Print / motif: customer request;
 Version: vacuum base
 26.0665.10

Easy to remove!
 Simply slide from the surface.



Convince yourself with our product video!

Other formats can be found at www.vkf-renzel.com

24 Telescopic Poster Stands with Frames and Pockets

Promotional print and special sizes on request!



Tent Display

Material: rigid film; Orientation: landscape

anti-reflective 0.4 mm

Insert size: A6

26.0009.1

Insert size: A7

26.0009.2

Insert size: A8

26.0009.3

Insert size: A9

26.0009.4

clear 0.5 mm

Insert size: A6

26.0009.6

Insert size: A7

26.0009.8


Insert size: A8

26.0009.9

Insert size: A9

26.0009.10

Manufactured from UV-stabilised plastic sheeting.



PVC Menu Card Holder

- with insert width: 1-1.5 mm

Material: rigid film;
Material thickness: 0.7 mm;
Colour: anti-reflective

Width of base: 105 mm;

Height of base: 45 mm

26.0010.3

Width of base: 150 mm;

Height of base: 55 mm

26.0010.2

Manufactured from UV-stabilised plastic sheeting.

Current prices can be found on our website.

Slate Effect L-Display with Cutout

Material: PET; Material thickness: 1 mm;
Colour: crystal clear; Angle: 75°

Size: A5; Orientation: portrait;
Size of base: 40 mm

26.0725.25

Size: A6; Orientation: landscape;
Size of base: 25 mm

26.0725.24

Size: A7; Orientation: landscape;
Size of base: 25 mm

26.0725.26



Sustainable due to slate varnish that can be rewritten over and over again. Illumigraphs can be used.

A-shaped Chalkboard

Material: PET; Material thickness: 1 mm;
Colour: crystal clear; Orientation: portrait;
Angle: 38°

Size: A7

26.0725.17

Size: A6

26.0725.18



Other formats can be found at www.vkf-renzel.com

26 Telescopic Poster Stands with Frames and Pockets

4



Semi-Circular Slate Effect Table-Top Display

Material: PET;
Material thickness: 1 mm;
Colour: crystal clear;
Orientation: landscape;
Version: semi-circular; Angle: 75°

Size: A6; Size of base: 40 mm

26.0725.21

Size: A7; Size of base: 40 mm

26.0725.22

Size: A8; Size of base: 20 mm

26.0725.23



Slate Effect Table Tent Display

Material: PET;
Material thickness: 1 mm;
Colour: crystal clear;
Orientation: landscape; Angle: 38°

26.0725.19



Slate Effect L-Display

Material: PET; Material thickness: 1 mm;
Colour: crystal clear; Orientation: portrait;
Size of base: 40 mm; Angle: 75°

26.0725.20

Current prices can be found on our website.



Chalkboard Sign

Material: PET G; Material thickness: 0.5 mm; Colour: crystal clear

Width: 120 mm; Height: 80 mm

26.0113.2171

Width: 110 mm; Height: 70 mm

26.0113.2172

Price Holder

Material: PET G; Material thickness: 1 mm; Colour: crystal clear; Orientation: portrait; Number of folds: 3

Size: 90 x 160 mm; Lip: 80 / 135 / 15 mm

26.0477.31

Size: 74 x 125 mm; Lip: 74 / 125 / 15 mm

26.0477.32

Illumigraphs can be found
at www.vkf-renzel.com

Other formats can be found at www.vkf-renzel.com

28 Telescopic Poster Stands with Frames and Pockets



↙
Presentation
frame



↙
Catalogue
display

↘
Frame



Counter display

Customised DISPA® Displays

What is DISPA®?

DISPA® are eco-friendly paper boards made of FSC®-certified paper and are 100% recyclable. Thanks to a non-directional core structure, DISPA® paper boards offer not only an optimal level of flatness and excellent dimensional stability, they are also lightweight. The boards can be printed on both sides (digital and screen) and CNC milled or die cut. After use the boards can simply be disposed of with waste paper. The properties of DISPA® and ease of handling make this the ideal promotional material. Whether as a ceiling hanger, stand or POS display: DISPA® offer a multitude of possibilities.

Advantages of DISPA®


- environmentally friendly, 100% paper
- completely recyclable
- easy to dispose of with waste paper
- low weight + high stability
- easy to process
- customisable
- ideal for short term promotions

Current prices can be found on our website.


Dividers

with Adhesive Bracket

self-adhesive



30 Adhesive Shelf Dividers



Shelf Divider

- with adhesive bracket

Material: rigid film; Material thickness: 0.7 mm;
Colour: crystal clear; Adhesive: standard adhesive 12 mm

Height: 40 mm

Length: 250 mm

26.0027.1

Length: 300 mm

26.0027.2

Length: 350 mm

26.0027.3

Height: 50 mm

Length: 400 mm

26.0027.4


Length: 450 mm

26.0027.5

Length: 500 mm

26.0027.6

Other sizes available on request.



Shelf Divider with Connector Bracket

- for easy subdivision of the shelf
 - material: rigid film
 - material thickness: 0.7 mm
 - colour: crystal clear
 - dimensions: 80 x 40 x 340 mm (W x H x D)
- 26.0442.20**

Also available with stock pusher.

Current prices can be found on our website.

Thermoformed Products



*custom solutions
for your product*



32 Thermoformed Products



Cartridge Holder

- for commercially available cartridges (silicone, acrylic, etc.)
- ø 50 mm

Material: polystyrene; Colour: white

Number of cartridges: 24; Width: 250 mm; Length: 360 mm

65.0009.1

Number of cartridges: 48; Width: 360 mm; Length: 500 mm

65.0009.2

Special sizes and colours available on request.



Counter Display

Material: polystyrene;
Material thickness: 2.5 mm; Colour: yellow;
Width: 265 mm; Height: 45 mm;
Depth: 165 mm

26.0216.10

Other colours and promotional printing available on request.

6




Shelf Shortener

- with 3 break points

Material: APET; Material thickness: 1.5 mm;
Colour: transparent; Width: 1230 mm;
Height: 105 mm; Depth: 288 mm;
Adhesive: 4x ø40 mm foam adhesive pads;
Model: standard

26.0216.8



Current prices can be found on our website.

Labelling Pockets



protective sleeves
for energy labels

1 insert



10 inserts



34 Shelf Barker Pockets



Price Tag Holder

- made of 0.25 mm soft film

Orientation: portrait; Insert: on the side; Number of inserts: 1;
Number of holes: 2

Insert size: A3

26.0046.1

Insert size: A4

26.0046.2

Price Tag Holder

- made of 0.14 mm soft film

Orientation: portrait; Insert: from top; Number of inserts: 1;
Number of holes: 1, centered

Insert size: A5

26.0046.18

Insert size: A6

26.0046.16

Insert size: A7

26.0046.17

Insert size: A8

26.0046.20

Bespoke sizes can be made on request.

Current prices can be found on our website.



Price Tag Holder

- made of 0.14 mm soft film

Insert size: 105 x 40 mm (W x H) top, A6 below;
 Orientation: portrait / landscape; Insert: from top;
 Number of inserts: 2; Number of holes: 1, centered
26.0046.46



Price Tag Holder

- made of 0.14 mm soft film

Insert size: A6 top/ 105 x 40 mm bottom;
 Orientation: portrait / landscape; Insert: on the side;
 Number of inserts: 2; Number of holes: 1, centered
26.0046.33

Other formats can be found at www.vkf-renzel.com

36 Shelf Barker Pockets



Price Tag Holder

- made of 0.25 mm soft film

Insert size: A4 (2x); Orientation: portrait; Insert: on the side;
Number of inserts: 2; Number of holes: 3

26.0046.4

Price Tag Holder

- made of 0.25 mm soft film

Insert size: A3 / A4; Orientation: portrait / landscape;
Insert: on the side; Number of inserts: 2; Number of holes: 3

26.0046.3

Current prices can be found on our website.



Price Tag Holder

- made from 0.18 mm soft film
Insert size: 105 x 57 mm top/ A6 centre / 105 x 45 mm below;
Orientation: portrait / landscape; Insert: from top;
Number of inserts: 3; Number of holes: 1, centered
26.0046.23

Price Tag Holder

- made from 0.18 mm soft film
Insert size: 145 x 39 top / 145 x 78 centre / 145 x 93 mm bottom;
Orientation: landscape; Insert: on the side; Number of inserts: 3;
Number of holes: 1, centered
26.0046.37

Bespoke sizes can be made on request.

Other formats can be found at www.vkf-renzel.com

38 Shelf Barker Pockets



Price Tag Holder

- made from 0.14 mm and 0.25 mm soft film

Material of upper film: flexible PVC;
Thickness of upper film: 0.14mm; Material of lower film: flexible PVC;
Thickness of lower film: 0.25mm; Insert size: 135 x 212 mm (W x H);
Orientation: portrait; Insert: from top; Number of inserts: 1;
Number of holes: 1, centered

26.0046.47

Price Tag Holder

- made of 0.14 mm soft film

Insert: from top; Number of inserts: 1; Number of holes: 1, centered

Insert size: 120 x 230 mm (W x H); Orientation: portrait

26.0046.31

Insert size: 100 x 210 mm (W x H); Orientation: portrait

26.0046.13

Insert size: 100 x 100 mm

26.0046.26

Insert size: 70 x 120 mm (W x H); Orientation: portrait

26.0046.34

Current prices can be found on our website.



Price Tag Holder

- made of 0.25 mm soft film

Insert size: 105 x 58 mm (W x H); Orientation: landscape;
 Insert: on the side; Number of inserts: 10; Number of holes: 3
26.0046.15



Price Tag Holder

- made from 0.25 mm soft film
 - tent-shaped top

Insert size: 110 x 150 mm (W x H); Orientation: portrait;
 Insert: from top; Number of inserts: 1; Number of holes: 1, centered
26.0046.48

Printed price pockets also available.

Other formats can be found at www.vkf-renzel.com

40 Shelf Barker Pockets



Vaccination Card Cover

- reliable protection
- dirt repellent

Material of lower film: soft film;
 Thickness of lower film: 0.18mm;
 Insert size: 186 x 130 mm
26.0354.4



Vaccination Card Cover

- made from 0.18 mm soft film
- reliable protection
- dirt resistant
- with additional front pocket for health card or ID card

Insert size: 93 x 130 mm;
 Outer size: 107 x 142 mm;
 Orientation: portrait; Insert: from top;
 Number of inserts: 1
26.0081.60

1. Incl. front pocket for health card.



Current prices can be found on our website.

Pocket for Energy Labels on Lights

- made of 0.14 mm soft film

Insert: from top; Number of inserts: 1;
Number of holes: 1, centered

landscape format

Insert size: 105 x 50 mm (W x H)

26.0081.29

portrait format

Insert size: 50 x 100 mm (W x H)

26.0081.25

Insert size: 36 x 75 mm (W x H)

26.0081.26

**Pocket for Energy Labels on Vacuum Cleaners**

- made of 0.14 mm soft film

Insert size: 78 x 152 mm (W x H);
Orientation: portrait; Insert: from top;
Number of inserts: 1; Number of holes: 1,
centered

26.0046.165

**Pocket for Energy Labels on Extraction Hoods**

- made of 0.14 mm soft film

Insert size: 60 x 120 mm (W x H);
Orientation: portrait; Insert: from top;
Number of inserts: 1; Number of holes: 1,
centered

26.0046.174



Other formats can be found at www.vkf-renzel.com

42 Shelf Barker Pockets



Pockets for Energy Labels on Televisions

- made of 0.14 mm soft film
- incl. 1 adhesive pad

Insert size: 60 x 120 mm (W x H);
Orientation: portrait; Insert: from top;
Number of inserts: 1

26.0028.23



Protective Pocket for Energy Labels on Washing Machines

- made from soft film
- incl. 4 adhesive pads

Orientation: portrait; Insert: from top;
Number of inserts: 1

Insert size: 118 x 257 mm

26.0028.8

Insert size: 118 x 230 mm

26.0028.22

Insert size: 96 x 192 mm

26.0028.30



Protective Pocket for Energy Labels on Washing Machines and Refrigerators

- made of 0.14 mm soft film
- completely self-adhesive on the back

Insert: from top; Number of inserts: 1

Insert size: 118 x 257 mm (W x H)

26.0081.18

Insert size: 100 x 192 mm

26.0081.58

Insert size: 212 x 146 mm (W x H)

26.0081.19

Current prices can be found on our website.

Protective Pocket for Energy Labels on Washing Machines and Refrigerators

- made from soft film
- incl. 2 magnetic strips

Orientation: portrait; Insert: from top;
Number of inserts: 1

Insert size: 118 x 257 mm

26.0507.4

Insert size: 118 x 230 mm

26.0507.5

Insert size: 96 x 192 mm

26.0507.11



Protective Cover with Side Opening

- made of 0.25 mm soft film

Number of inserts: 1; Insert: on the side

portrait format

Insert size: A3; Number of holes: 4 (2x top / 2x bottom)

26.0490.9

Insert size: A4; Number of holes: 4 (2x top / 2x bottom)

26.0490.5

Insert size: A5; Number of holes: 4 (2x top / 2x bottom)

26.0490.8

Insert size: A6; Number of holes: 2 (1x top / 1x bottom)

26.0490.6

landscape format

Insert size: A5; Number of holes: 4 (2x top / 2x bottom)

26.0490.7



Price Pocket for Carpets

- made from 0.25 mm soft film
- for attachment to tape

Number of inserts: 1

portrait / landscape

Insert size: A3; Insert: on the long side

26.0133.2

Insert size: A5; Insert: on the long side

26.0133.1

landscape format

Insert size: A4; Insert: on short side

26.0104.1

Bespoke sizes can be made on request.

Other formats can be found at www.vkf-renzel.com

44 Shelf Barker Pockets

On request we can also weld rigid film for you!



We offer customised embossing and printing on the price pockets (e.g. with your company name). Ask for a quote!

We also work with coloured soft plastics. Ask for a quote!



Current prices can be found on our website.



Cable Tie

- suitable for attaching shelf edge strip "DBH" to baskets and wire shelves as well as for hanging posters and hanging price pockets
- with hole
- minimum order quantity: 100 pieces


Colour: transparent

Length: 50 mm

24.0048.4

Length: 100 mm

24.0048.5



Fixing Loop

- for attaching the price pockets to sales goods
- minimum purchase quantity: 500 pieces

Colour: transparent

Length: 230 mm

24.0048.8

Length: 127 mm

24.0048.13

Adhesive Hook

- minimum order quantity: 100 pieces

Material: plastic; Colour: white; Adhesive: foam tape

Diameter: 19 mm; Size: round

24.0157.1

Width: 20 mm; Length: 20 mm; Size: square

24.0158.3

Width: 14 mm; Length: 25 mm; Size: rectangular

24.0158.2



Other formats can be found at www.vkf-renzel.com

46 Shelf Barker Pockets



Adhesive Hook

- round
- minimum order quantity: 100 pieces

Material: plastic; Colour: transparent;
Diameter: 20 mm;
Adhesive: standard adhesive;
Diameter of eyelet: 3.4 mm
24.0157.7



Ball Chain, cut to length

- minimum order quantity: 100 pieces

Material: steel; Surface: nickel plated brass;
Diameter of sphere: 2.5 mm;
Version: fitted with closing clip

Length: 130 mm

24.0249.46

Length: 150 mm





24.0249.10

Length: 230 mm

24.0249.47

Current prices can be found on our website.

Price Pockets



48 Price Holders




Price Tag Holder

- for clip into scanner rails

Material: rigid film; Material thickness: 0.5 mm;
Colour: crystal clear; Orientation: landscape; Angle: 20°;
Insert size: 210 x 73 mm (W x H)
26.0065.1

Manufactured from UV-stabilised plastic sheeting.



Special sizes available on request.

Price Tag Holder, magnetic

Material: rigid film; Orientation: landscape;
Magnet: magnetic tape 2x 10 mm

anti-reflective

Insert size: 210 x 60 mm (W x H)

26.0040.2

Insert size: 210 x 73 mm (W x H)

26.0040.4

clear

Insert size: 210 x 60 mm (W x H)

26.0040.1

Insert size: 210 x 73 mm (W x H)

26.0040.3

Current prices can be found on our website.



Price Tag Holder

- for slotting into scanner rails
- universal use

Material: rigid film; Orientation: landscape;
 Insert size: 297 x 105 mm (W x H)

anti-reflective

Material thickness: 0.4 mm

26.0041.7

clear

Material thickness: 0.5 mm

26.0041.8



Price Tag Holder

- for slotting into scanner rails
- universal use

Material: rigid film; Orientation: landscape

anti-reflective

Insert size: A5

26.0041.11

Insert size: 210 x 73 mm (W x H)

26.0041.1

Insert size: 210 x 60 mm (W x H)

26.0041.3

clear

Insert size: A5

26.0041.12

Insert size: 210 x 73 mm (W x H)

26.0041.2

Insert size: 210 x 60 mm (W x H)

26.0041.4

Other formats can be found at www.vkf-renzel.com

50 Price Holders



Price Tag Holder

- for slotting into scanner rails
- universal use

Material: rigid film; Orientation: landscape

anti-reflective, material thickness: 0.4 mm

Insert size: 148 x 73 mm (W x H)

26.0041.5

Insert size: A6

26.0041.9

crystal clear, material thickness: 0.5 mm

Insert size: 148 x 73 mm (W x H)

26.0041.6

Insert size: A6

26.0041.10



Price Tag Holder

- for sticking on to shelves

Material: rigid film; Orientation: landscape; Angle: 90°;
Adhesive: standard adhesive 12 mm

clear

Insert size: 400 x 27 mm (W x H)

26.0016.10

Insert size: 1000 x 27 mm (W x H)

26.0016.8

Insert size: 1250 x 27 mm (W x H)

26.0016.9

anti-reflective

Insert size: 400 x 27 mm (W x H)

26.0016.1

Insert size: 1000 x 27 mm (W x H)

26.0016.2

Insert size: 1250 x 27 mm (W x H)

26.0016.3

Current prices can be found on our website.

Price Tag Holder

- for sticking on to shelves

Material: rigid film; Orientation: landscape; Angle: 105°;
Adhesive: standard adhesive 12 mm

anti-reflective

Insert size: 297 x 73 mm (W x H)

26.0016.4

clear

Insert size: 297 x 73 mm (W x H)

26.0016.7

Insert size: 210 x 73 mm (W x H)

26.0016.5

Insert size: 210 x 73 mm (W x H)

26.0016.6



Price Tag Holder with Clips

- for wire baskets and wire shelves

Material: rigid film; Material thickness: 0.5 mm;
Colour: crystal clear; Orientation: landscape

Insert size: 110 x 85 mm (W x H)

26.0020.9

Insert size: 210 x 73 mm (W x H)

26.0020.11



Other formats can be found at www.vkf-renzel.com



Price Tag Holder with Clips

Material: rigid film; Orientation: landscape;
Application: for clipping on to 6-10 mm thick glass shelves

anti-reflective

Insert size: 148 x 73 mm (W x H)

26.0042.5

Insert size: 210 x 73 mm (W x H)

26.0042.4

clear

Insert size: 148 x 73 mm (W x H)

26.0042.6

Insert size: 210 x 73 mm (W x H)

26.0042.19



Price Tag Holder with Clips

Material: rigid film; Orientation: landscape;
Application: for clipping on to 6-10 mm thick glass shelves

anti-reflective

Insert size: 148 x 73 mm (W x H)

26.0042.9

Insert size: 210 x 73 mm (W x H)

26.0042.7

clear

Insert size: 148 x 73 mm (W x H)


26.0042.18

Insert size: 210 x 73 mm (W x H)

26.0042.8

Special sizes available on request.

Current prices can be found on our website.



Price Tag Holder with Clips

Material: rigid film; Orientation: landscape;
Application: for clipping on to 10-25 mm thick shelves

anti-reflective

Insert size: 148 x 73 mm (W x H)

26.0042.12

Insert size: 210 x 73 mm (W x H)

26.0042.10

clear

Insert size: 148 x 73 mm (W x H)

26.0042.17

Insert size: 210 x 73 mm (W x H)

26.0042.11



Price Tag Holder with Clips

Material: rigid film; Orientation: landscape;
Application: for clipping on to 10-25 mm thick shelves

anti-reflective

Insert size: 148 x 73 mm (W x H)

26.0042.14

Insert size: 210 x 73 mm (W x H)

26.0042.13

clear

Insert size: 148 x 73 mm (W x H)

26.0042.15

Insert size: 210 x 73 mm (W x H)

26.0042.16




Other formats can be found at www.vkf-renzel.com



Shelf Barker "WLK Back"

- hinge profile as backing
- can be stuck to different surfaces, pockets, etc.

20.0227.



Shelf Barker "WLK 73"

- with insert pocket
- for hanging in scanner rails
- with swing function

Insert height: 73 mm; Colour: transparent

Length: 150 mm

20.0090.2

Length: 210 mm

20.0090.3

Special sizes available on request.

Current prices can be found on our website.

Shelf Barkers

grass paper ←



3D effect

many options



56 Shelf Barkers

- diverse design options in terms of size, design and attachment to the shelf
- attract the attention of your customers
- typical features of well-known brand, customer or article names are incorporated into the design

- printed shelf barkers are indispensable for attractive shelf advertising
- perfect adaptation of shape and design

Discover the right article now or request an exclusive design directly from us!



Use our shelf barkers and shelf wobblers as a special eye-catcher at the point of sale. Shelf barkers enliven your sales room, draw attention directly to a product and thus make it stand out from the crowd. Barkers can be personalised on request.



Current prices can be found on our website.



Shelf Wobbler Rectangular

Material: rigid film; Material thickness: 0.3 mm; Colour: white;
Width: 120 mm; Height: 240 mm; Print method: digital print;
Print status: 1-sided; Print / motif: to customer specification;
Version: rectangular, print size 120 x 80 mm
26.0113.1214



Shelf Wobbler Round

Material: rigid film; Material thickness: 0.3 mm; Colour: white;
Width: 110 mm; Height: 263.5 mm; Diameter: 105 mm;
Print method: digital print; Print status: 1-sided;
Print / motif: to customer specification; Version: round
26.0113.1212

Shelf Talker with Window

Material: rigid film;
Material thickness: 0.3 mm; Colour: white;
Width: 110 mm; Height: 94mm;
Print method: digital print;
Print status: 1-sided;
Print / motif: to customer specification;
Version: with viewing window, scored, flatpack
26.0113.1213



Can be printed.

Other formats can be found at www.vkf-renzel.com

58 Shelf Barkers

Shelf Barker with Wobbler Effect

- present two or more advertising messages at the PoS
- increased attention value
- eye-catching shelf advertising



3D Effect Shelf Advertisement

- relief
- highlight essential elements as eye-catchers
- can be customised in different shapes and sizes
- special look



Current prices can be found on our website.

PoS Info-Shade

- draws the customer's attention with a promotional area
- pull out additional info from the roller
- ideally suited to position a large quantity of information or advertisements

Available in 3 different widths: 257 mm, 165 mm and 130 mm



Other formats can be found at www.vkf-renzel.com



NEW



Our wobblers made from grass paper impress with their sustainability and natural appearance.



Grass paper - recyclable and compostable

- energy saving
- no chemicals

What is grass paper?

- a cellulose based product which - alongside fresh fibre from wood or waste paper - contains a significant proportion (minimum 30%) of grass fibres
- in commercial manufacture paper can be made of up to 50% grass fibre depending on the use
- grass paper is recyclable and compostable

Why is it sensible?

- climate protection (through clear reduction of CO2 emissions)
- water saving of around 99% *
- energy saving of around 97% *
- avoids the use of chemicals (100 % saving) *
- cascaded uses (e.g. protein from the grass for medications and nutrition)
- renaturalisation of wasteland (e.g. in Eastern Europe)
- avoidance of monocultures and mass deforestation
- uses only 6 litres of water per tonne of hay (instead of 6000 litres per tonne of wood pulp)

* compared to fresh fibre cellulose from wood

Comparison of grass fibre to wood fibre:

grass fibre:

- only 112 kW/h energy per tonne of hay
- no use of chemicals in the production of grass fibre
- uses only 6 litres of water per tonne of hay
- in total up to 95 % less CO2 emissions than for virgin material
- 1.2 tonnes of grass to 1 tonne of fibre

wood fibre:


- higher energy usage (5000 kWh per tonne of wood fibre)
- significant application of chemicals (e.g. sodium sulphate, sodium sulphide, etc.)
- higher usage of fresh water (6000 l per tonne)
- high logistical cost (average 4000 km of transportation)
- 2.3 tonnes of wood per 1 tonne of cellulose

Material: grass paper; Grammage [g/m²]: 300g/m²; Colour: natural; Width: to customer specification; Height: to customer specification; Print method: digital print; Print status: 1-sided; Print / motif: to customer specification

26.0741.1

Current prices can be found on our website.

Many other film-based products can be printed on!



Poster pockets



Insert strips



U-pockets



Tent displays



Cut blanks



Other formats can be found at www.vkf-renzel.com

62 Shelf Barkers

Checklist for data handling for digital and screen printing



- ✓ Suitable DTP software, e.g. Adobe Illustrator, Adobe Acrobat, Adobe InDesign, etc.
- ✓ Create document format in 1:1, 1:2, 1:4 or 1:10 ratio.
- ✓ 2 mm bleed (if necessary)
- ✓ Contour cut (if necessary)
- ✓ Convert font / text into paths, or embedded in the PDF
- ✓ Embed images or include placed / linked images
- ✓ Image formats: eps, tif, jpg
- ✓ Optimal resolution
- ✓ We prefer printable PDF data to PDF/X1a standard or PDF/X3 standard
- ✓ File formats: PDF/X1a standard or PDF/X3 standard (or eps, ai, tif, jpg (no png or gif))
- ✓ Screen printing: define special colours, name colour specifications (PMS, HKS, RAL), create an overlap of 0.3 mm (if possible)
- ✓ Digital printing: create data in CMYK (no RGB), only simulated spot colours possible (no 100% match, for colour control a proof can be created)
- ✓ Data delivery: via e-mail, FTP, webupload or CD / DVD


**Do you need a design of the desired print medium?
Then please contact us!**

You can find more details here



Current prices can be found on our website.

Bestil direkte online - Besøg vores webshop!



Direkte bestilling
Indtast varenummer og
bestil direkte



Kundeservice
Har du et spørgsmål?
Vi er her for dig



Nyheder
Opdag vores nye
produkter



Regionale afdelinger
Vi står til rådighed for dig
i hele verden



Branche produkter
Bliv inspireret af vores
forslag til din branche



www.vkf-renzel.dk